

```
SEQUENCE LISTING
<110> SEQUENOM, Inc.
     Risinger, Carl
     Andersson, Maria
     Lewander, Tommy
     Olaisson, Erik
<120> DETECTION OF CYP3A4 AND CYP2C9
 POLYMORPHISMS
<130> 52459-20021.00
<140> US 09/943,115
<141> 2001-08-30
<150> UK 0021286.0
<151> 2000-08-30
<160> 73
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 1345
<212> DNA
<213> Homo sapiens
<400> 1
ctgcagtgac cactgcccca tcattgctgg ctgaggtggt tggggtccat ctggctatct
                                                                        60
gggcagctgt totottctct cotttctctc ctgtttccag acatgcagta tttccagaga
                                                                        120
gaaggggcca ctctttggca aagaacctgt ctaacttgct atctatggca ggacctttga
                                                                        180
agggttcaca ggaagcagca caaattgata ctattccacc aagccatcag ctccatctca
                                                                        240
tecatgeest gteteteett taggggtees ettgesaaca gaatcacaga ggaccageet
                                                                        300
gaaagtgcag agacagcagc tgaggcacag ccaagagctc tggctgtatt aatgacctaa
                                                                        360
gaagtcacca gaaagtcaga aggatgcata gcagaggccc agcaatctca gctaagtcaa
                                                                        420
                                                                        480
ctccaccagc ctttctagtt gcccactgtg tgtacagcac sctggtaggg accagagcca
tgacagggaa taagactaga ctatgccctt gaggagctca cctctgttca gggaaacagg
                                                                        540
cgtggaaaca caatggtggt aaagaggaaa gaggacaata ggattgcatg aaggggatgg
                                                                        600
aaagtgccca ggggaggaaa tggttacatc tgtgtgagga gtttggtgag gaaagactct
                                                                        660
                                                                        720
aagagaaggc tctgtctgtc tgggtttgga aggatgtgta ggagtcttct agggggcaca
ggcacactcc aggcataggt aaagatctgt aggtgtggct tgttgggatg aatttcaagt
                                                                        780
attttggaat gaggacagcc atagagacaa gggcargaga gaggcgattt aatagatttt
                                                                        840
atgccaatgg ctccacttga gtttctgata agaacccaga acccttggac tccccagtaa
                                                                        900
                                                                        960
cattgattga gttgtttatg atacctcata gaatatgaac tcaaaggagg tcagtgagtg
gtgtgtgtgt gattetttge caactteeaa ggtggagaag cetetteeaa etgeaggeag
                                                                       1020
agcacaggtg gccctgctac tggctgcagc tccagccctg cctccttctc tagcatataa
                                                                       1080
acaatccaac agcctcactg aatcactgct gtgcagggca ggaaagctcc atgcacatag
                                                                       1140
cccagcaaag agcaacacag agctgaaagg aagactcaga ggagagagat aagtaaggaa
                                                                       1200
```

agtagtgatg gctctcatcc cagacttggc catggaaacc tggcttctcc tggctgtcag

cetggtgete etetatetgt gagtaactgt teaggeteet ettetetgtt tettggaett

1260

1320 1345

<210> 2 <211> 19 <212> DNA

ggggtcgtaa tcaggcctct ctttt

| <213> | Artificial Sequence | |
|----------------|---|------------|
| <220> <223> | Oligonucleotide of CYP3A4 region | |
| <400> | 2 | |
| acaago | ggcaa gagagaggc | 19 |
| <210> | | |
| <211> | | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| | Oligonucleotide of CYP3A4 region | |
| .400- | | |
| <400> | ggcag gagagaggc | 19 |
| acaay | ggcag gagagaggc | |
| <210> | 4 | |
| <211> | | |
| <212> | | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Oligonucelotide of CYP3A4 region | |
| <400> | 4 | |
| agggc | • | 10 |
| | | |
| <210> | | |
| <211> | | |
| <212> | DNA Artificial Sequence | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Oligonucleotide of CYP3A4 region | |
| <400> | 5 | |
| agggc | aggag | 10 |
| -210- | | |
| <210> | · 6 · 2438 | |
| <212> | | |
| | Homo sapiens | |
| <400> | c | |
| gatct | cagat atcccttcta tctacacatt atctataatt ctttcttt | 60 |
| aggto | ctaga aggagcegca geteageagg agagaggagg agetgagetg ggaeeeetae | 120 |
| ctcct | gagga atgaaatgat tattataaag acagcaaccg agcttatttt acccaaaata | 180 |
| aggta | agtata titcigitag agittagagi ticatgagic agggaccaag tiatigciii | 240 |
| tcttt | gccct gtataaaggc ttctccaagg cctttgactt acctaagtac taaatgttat | 300 |
| aaaac | ccaaac tettetgace teteaateta gteaactggg getgtaatta ttaatgaaat | 360 420 |
| taatg | gtttat tttgaaaata atttactaga ctgaattacg aaatcctgaa tcattgtaca | 480 |
| ctato | cagtaa atattggtgg acccaactga actgaatgtt ttgcttgaaa tgaaaccttt | 540 |
| gagat | gratar transfer aggreeaget tectrature graatigget caatttatt | 600 |

| gtaagcagag gtaattgaga gattcaaaag ggacatgagg tgtaacaatt ctct | gtaaat 660 |
|---|--------------|
| tgttagaatc cctgttaaaa atgaccagta aagctttgtg caactgtgtc ttga | • |
| tgttagaatt tetgttaaaa atgactagta aagettegtg caacegege eega | |
| tttatttttc ttaataaaag aaatggaaat aacctcacta gggaatttag aaca | J |
| atgatatett taaagaaaat ggetttgeac aagtattgac attaatgate tagt | 3 3 |
| tatetteeta getgeateta gateeteaae teagtatgee ageteetget aagg | |
| cattgtggtg gttctgtgct gtgggtccat ttagtgattt ccctacctcc catc | 4 |
| tgcatccaca actgtggttc tgtccataat ttcctttgct ttctgtgcat tatt | |
| tatctgaaaa tgagaaacca aaaacaatrg aaagcagcca tgtctggagg tgac | 33333 |
| gtcgagaagc cctagtttct caaaccctta gcaccaaatt tttccctcag ttac | <i>3 3</i> |
| cgtttcactt ctgcagtgat ggaraaggga gatcccttat ttcttctcat gagc | |
| ggtgctgttt cccttagaga caaataaggg gttctattta atgtgaagcc tgtt | 3 |
| acagaataaa tgtggtgtat attcagaata actaatgttt ggaagttgtt ttat | ttttgc 1320 |
| taaaaattgt totcaaggca gototggtgt aagagataat acaccacgat gggo | atcaga 1380 |
| agacctcagc tcaaatccca gttctgccag ctatgagctg tgtggcacca acag | ggtgtcc 1440 |
| tgttctccca gggtctccct tttcccattt gaaaaataaa aaataacaat tcct | gcette 1500 |
| aggaattttt tttagggggt ttaatkgtaa aggtgtttat atctgctaag gtaa | atttact 1560 |
| tgatatatgt ttggttattt aagatatatg agttatgtta gctatttcat gttt | aggctg 1620 |
| ctgtattttt agtaggctat attaaatatt tgaaaggatt wmattataaa gaac | caaagtc 1680 |
| tcctaatctt tgatatagca ttgacatact ttttaaatat acaaggcata gaat | atggcc 1740 |
| atttctgtta aatcatatat tcccaactgg ttattaatct aagaattcag aatt | ttgagt 1800 |
| aattgctttt gcatcagatt atttacttca gtgctctcaa ttatgatggt gcat | tagaac 1860 |
| catctgggtt aacatttgtt ttttattacc aatacctagg ctccaaccaa gtac | agtgaa 1920 |
| actggaatgt acagagtgga caatggaacg aaggagaaca agaccaaagg acat | tttatt 1980 |
| tttatctgta tcagtgggtc aaagtccttt cagaaggagc atatagtgga ccta | aggtgat 2040 |
| tggtcaattt atccatcaaa gaggcacaca ccgaattagc atggagtgtt ataa | aaaggct 2100 |
| tggagtgcaa gctcatggtt gtcttaacaa gaagagaagg cttcaatgga ttct | cttqtq 2160 |
| gtccttgtgc tctgtctctc atgtttgctt ctcctttcac tctggagaca gago | ctctggg 2220 |
| agaggaaaac tccctcctgg ccccactcct ctcccagtga ttggaaatat ccta | acagata 2280 |
| ggtattaagg acatcagcaa atccttaacc aatgtaagta tgctccttca gtg | 9 |
| ggtattaagg acatcagcaa atccttaacc aatgtaagta tgcccccca gugs |) J - · |
| aaaggtaagt aaattcacct gtatttttta aataaagtgt atccctagag gtac | 2438 |
| caagaggtaa tggtaaagta aaatactttg aaaggctt | 2430 |
| A4A B | • |
| <210> 7 | |
| <211> 20 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| <400> 7 | 20 |
| ccagcctgaa agtgcagaga | 20 |
| | |
| <210> 8 | |
| <211> 25 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| <400> 8 | 25 |
| tettagagte ttteeteace aaact | 23 |
| | |
| <210> 9 | |
| <211> 20 | |
| <212> DNA | |
| | |

•

| • | | |
|---|--|----|
| | | • |
| | 212. Artificial Sequence | |
| | <213> Artificial Sequence | |
| | <220> | |
| | <223> Primer | |
| | <400> 9 | |
| | catgccctgt ctctccttta | 20 |
| | | |
| | <210> 10 | |
| | <211> 19 | |
| | <212> DNA <213> Artificial Sequence | |
| | (213) Altificial bequence | |
| | <220> | |
| | <223> Primer | |
| | <400> 10 | |
| | ccatcccctt catgcaatc | 19 |
| | • | |
| | <210> 11 | |
| | <211> 11 | |
| | <212> DNA | |
| | <213> Artificial Sequence | |
| | <220> | |
| | <223> Oligonucleotide representing the coding strand | |
| | complementary to the polymorphic site 461 | |
| | <400> 11 | |
| | agcaccctgg t | 11 |
| | 4904000035 | |
| | <210> 12 | |
| | <211> 11 | |
| | <212> DNA | |
| | <213> Artificial Sequence | |
| | <220> | |
| | <223> Oligonucleotide representing the coding strand | |
| | complementary to the polymorphic site 461 | |
| | <400> 12 | |
| | agcacgctgg t | 11 |
| | | |
| | <210> 13 | |
| | <211> 11 | |
| | <212> DNA | |
| | <213> Artificial Sequence | |
| | <220> | |
| | <223> Oligonucleotide representing the non-coding strand | |
| | complementary to the polymorphic site 461 | |
| | <400> 13 | |
| | accagggtgc t | 11 |
| | | |
| | <210> 14 | |
| | <211> 11 | |

| • | | |
|----------------|--|----|
| | | |
| 212. | DNA | |
| <212> <213> | Artificial Sequence | |
| <220> | | |
| <223> | Oligonucleotide representing the non-coding strand complementary to the polymorphic site 461 | |
| <400> | 14 | |
| accag | cgtgc t | 11 |
| <210> | | |
| <211> | | |
| <212> <213> | Artificial Sequence | |
| <220> | | |
| <223> | Oligonucleotide of the novel polymorphic site 461 on the coding strand | |
| <400> | | 11 |
| gtgtg | rtacag c | 11 |
| <210> | | |
| <211> | | |
| <212> <213> | DNA Artificial Sequence | |
| | | |
| <220> | Oligonucleotide of the novel polymorphic site 461 | |
| (223) | on the non-coding strand | |
| <400> | | 11 |
| getgt | cacaca c | |
| <210> | | |
| <211> <212> | | |
| | Artificial Sequence | |
| <220> | • | |
| <223 | Oligonucleotide of the novel polymorphic site 461 on the non-coding strand | |
| .100 | | |
| <400: tggtd | ccctac c | 11 |
| <210: | > 18 | |
| <211: | | |
| | > DNA | |
| <213: | > Artificial Sequence | |
| <220: | > > Oligonucleotide of the novel polymorphic site 461 | |
| <223: | on the coding strand | |
| <400 | > 18 | |
| | gggacc a | 11 |

| <210> 19 | |
|-------------------------------|----|
| <211> 25 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| - | |
| <220> | |
| <223> Primer | |
| (22) IIIIICI | |
| 400- 10 | |
| <400> 19 | 25 |
| cactagggaa tttagaacaa atatg | |
| | |
| <210> 20 | |
| <211> 23 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | , |
| <223> Primer | |
| | |
| <400> 20 | |
| | 23 |
| gcacagaaag caaaggaaat tat | |
| | |
| <210> 21 | |
| <211> 27 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| <400> 21 | |
| tgtatttaga tcctcaactc agtatgt | 27 |
| | |
| <210> 22 | |
| | |
| <211> 21 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| <400> 22 | |
| ggatctccct tctccatcac t | 21 |
| | |
| <210> 23 | |
| <211> 23 | |
| <212> DNA | |
| | |
| <213> Artificial Sequence | |
| *** | |
| <220> | |
| <223> Primer | |
| | |
| <400> 23 | 22 |
| ggtccattta gtgatttccc tac | 23 |
| | |
| <210> 24 | |

| <211> 25 | |
|-----------------------------|----|
| <212> DNA | |
| <213> Artificial Sequence | |
| • | |
| <220> | |
| <223> Primer | |
| (ZZJ) FIIMCI | |
| 400 24 | |
| <400> 24 | 25 |
| atacaccaca tttattctgt tcata | 23 |
| | |
| <210> 25 | |
| <211> 22 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| <400> 25 | |
| | 22 |
| ccaaattttt ccctcagtta ca | |
| | |
| <210> 26 | |
| <211> 20 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| · | |
| <220> | |
| <223> Primer | |
| | |
| <400> 26 | |
| ttggtgccac acagctcata | 20 |
| | |
| <210> 27 | |
| <211> 20 | |
| | |
| <212> DNA | |
| <213> Artificial Sequence | |
| | |
| <220> | |
| <223> Primer | |
| | |
| <400> 27 | |
| gccttcagga attttttta | 20 |
| | |
| <210> 28 | |
| <211> 25 | |
| <212> DNA | |
| <213> Artificial Sequence | |
| (213) Intelligat bodings | |
| <220> | |
| | |
| <223> Primer | |
| 400 00 | |
| <400> 28 | 25 |
| ccagttggga atatatgatt taaca | 23 |
| | |
| <210> 29 | |
| | |
| <211> 25 <212> DNA | |

| <213> | Artificial Sequence | |
|------------|--|----|
| <220> | | |
| <223> | Primer | |
| <400> | 29 | |
| gctgct | gtat ttttagtagg ctata | 25 |
| <210> | 30 | |
| <211> | 22 | |
| <212> | DNA | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Primer | |
| <400> | 30 | |
| | cattg tecaetetgt ac | 22 |
| _ | | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Primer | |
| <400> | 31 | |
| | gcagc tctggtgtaa | 20 |
| 5. | ,- | |
| <210> | | |
| <211> | | |
| <212> | | |
| <213> | Artificial Sequence | |
| <220> | | |
| <223> | Primer | |
| <400> | 32 | |
| agttg | ggaat atatgattta acaga | 25 |
| .010 | | |
| <210><211> | | |
| <211> | | |
| | Artificial Sequence | |
| \213/ | Altilitat bayaanaa | |
| <220> | | |
| <223> | Oligonucleotide representing the coding strand | |
| <400> | 33 | |
| atctt | ctatt g | 1: |
| <210> | 3.4 | |
| <211> | | |
| <211> | | |
| | Artificial Compage | |

| | <220> | |
|---|---|---------|
| | <223> Oligonucleotide representing the coding strand | |
| | | |
| | <400> 34 | |
| | atcttttatt g | 11 |
| | | |
| | <210> 35 | |
| _ | <211> 11 | |
| | <212> DNA | |
| | <213> Artificial Sequence | |
| | <220> | |
| | <pre><220> <223> Oligonucleotide representing the coding strand</pre> | |
| | | |
| | <400> 35 | |
| | acaatagaaa g | 11 |
| | | |
| | <210> 36 | |
| | <211> 11 | |
| | <212> DNA | |
| | <213> Artificial Sequence | |
| | | |
| | <220> | |
| | <223> Oligonucleotide representing the coding strand | |
| | | |
| | <400> 36 | 11 |
| | acaatggaaa g | 11 |
| | | |
| | <210> 37 | |
| | <211> 11 | |
| | <212> DNA | |
| | <213> Artificial Sequence | |
| | <220> | |
| | <223> Oligonucleotide representing the coding strand | |
| | | |
| | <400> 37 | |
| | atggagaagg g | 11 |
| | | |
| | <210> 38 | |
| | <211> 11 | |
| | <212> DNA | |
| | <213> Artificial Sequence | |
| | | |
| | <220> | |
| | <223> Oligonucleotide representing the coding strand | |
| | .400. 20 | |
| | <400> 38 | 11 |
| | atggaaaagg g | |
| | <210> 39 | |
| | <211> 39 <211> 11 | |
| | <211> 11 <212> DNA | |
| | <213> Artificial Sequence | |
| | and an | |
| | <220> | |
| | <223> Oligonucleotide representing the coding strand | |
| | | |
| | | |

| <400> 39 ttaatggtaa a | 11 |
|--|----|
| <210> 40 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the coding strand | |
| <400> 40 ttaattgtaa a | 11 |
| <210> 41 <211> 12 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the coding strand | |
| <400> 41 ggatttcatt at | 12 |
| <210> 42 <211> 12 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the coding strand | |
| <400> 42 ggattaaatt at | 12 |
| <210> 43 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the non-coding strand | |
| <400> 43 caatagaaga t | 11 |
| <210> 44 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the non-coding strand | |
| 400. 44 | |

| caataaaaga t | 11 |
|--|----|
| <210> 45 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the non-coding strand | |
| <400> 45 ctttctattg t | 11 |
| <210> 46 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the non-coding strand | |
| <400> 46 ctttccattg t | 11 |
| <210> 47 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the non-coding strand | |
| <400> 47 cccttctcca t | 11 |
| <210> 48 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the non-coding strand | |
| <400> 48 cccttttcca t | 11 |
| <210> 49 <211> 11 <212> DNA <213> Artificial Sequence | |
| <220> <223> Oligonucleotide representing the non-coding strand | |
| <400> 49 | 11 |

| <210> 50 | • | |
|--------------------------------|--------------------------------|----|
| <211> 11 | | |
| <212> DNA | | |
| <213> Artificial Sequence | | |
| | | |
| <220> | | |
| <223> Oligonucleotide represen | nting the non-coding strand | |
| (223) 011g0mu010001m0 1-F-1 | J | |
| <400> 50 | | |
| | | 11 |
| tttacaatta a | | |
| | | |
| <210> 51 | | |
| <211> 12 | | |
| <212> DNA | | |
| <213> Artificial Sequence | | |
| | | |
| <220> | • | |
| <223> Oligonucleotide represen | nting the non-coding strand | |
| · · · · · | _ | |
| <400> 51 | | |
| | | 12 |
| ataatgaaat cc | | |
| 210. 52 | | |
| <210> 52 | | |
| <211> 12 | | |
| <212> DNA | | |
| <213> Artificial Sequence | | |
| | | |
| <220> | | |
| <223> Oligonucleotide represen | nting the non-coding strand | |
| _ | | |
| <400> 52 | | |
| ataatttaat cc | • | 12 |
| | | |
| <210> 53 | | |
| <211> 33 | | |
| | | |
| <212> DNA | | |
| <213> Artificial Sequence | | |
| | · | |
| <220> | warmhis sites on the goding | |
| <223> 5'-sequence to the polyr | morphic sites on the coding | |
| strand | | |
| | | |
| <400> 53 | | |
| tacctcccat c | | 11 |
| | | |
| <210> 54 | | |
| <211> 11 | | |
| <212> DNA | | |
| <213> Artificial Sequence | | |
| | | |
| <220> | | |
| <223> 5'-sequence to the poly | morphic sites on the coding | |
| | morphia brook on one committee | |
| strand | | |
| .400- 54 | | |
| <400> 54 | | 13 |
| aaccaaaaac a | | |

| <210><211><212><212><213> | 11 | |
|---------------------------|---|----|
| <220> <223> | 5'-sequence to the polymorphic sites on the coding strand | |
| <400> ctgcag | | 11 |
| <210><211><211><212><213> | 11 | |
| <220> <223> | 5'-sequence to the polymorphic sites on the coding strand | |
| <400> tagggg | 56 ggttt a | 11 |
| <210><211><212><212><213> | 11 | |
| <220> <223> | 5'-sequence to the polymorphic sites on the coding strand | |
| <400> atttg | 57 aaagg a | 11 |
| <210><211><212><212><213> | 11 | |
| <220> <223> | 5'-sequence to the polymorphic sites on the non-coding strand | |
| <400> gatgg | 58 gaggt a | 11 |
| <210><211><211><212><213> | 11 | |
| <220> <223> | 5'-sequence to the polymorphic sites on the non-coding strand | |

| <400> tgtttt | tggt t | 11 |
|---------------------------|---|----|
| <210><211><211><212><213> | 11 | |
| | 5'-sequence to the polymorphic sites on the non-coding strand | |
| <400> catcac | 60 etgca g | 11 |
| <210><211><211><212><213> | 11 | |
| <220> <223> | 5'-sequence to the polymorphic sites on the non-coding strand | |
| <400> taaaco | 61 eccct a | 11 |
| <210><211><212><212><213> | 11 | |
| <220> <223> | 5'-sequence to the polymorphic sites on the non-coding strand | |
| <400> tcctt | 62 tcaaa t | 11 |
| <210><211><212><212><213> | 11 | |
| <220> <223> | 3'-sequence to the polymorphic sites on the non-coding strand | |
| <400> tgtgg | 63 atgca a | 11 |
| <210><211><211><212><213> | 11 | |
| <220> | | |

| <223> | non-coding strand | | | |
|------------|--|----|--|--|
| <400> | 64 | | | |
| catggo | etget t | 11 | | |
| | | | | |
| <210> | | | | |
| <211><212> | | | | |
| | Artificial Sequence | | | |
| \Z1J/ | Altititat boquese | | | |
| <220> | | | | |
| <223> | 3'-sequence to the polymorphic sites on the | | | |
| | non-coding strand | | | |
| .400- | | | | |
| <400> | cetee e | 11 | | |
| aggga | | | | |
| <210> | 66 | | | |
| <211> | 11 | | | |
| <212> | DNA | | | |
| <213> | Artificial Sequence | | | |
| | | | | |
| <220> | 3'-sequence to the polymorphic sites on the | | | |
| <223> | non-coding strand | | | |
| | non-couring scrana | | | |
| <400> | 66 | | | |
| taaac | acctt t | 11 | | |
| | | | | |
| <210> | | | | |
| <211> | | | | |
| <212> | | | | |
| <213> | Artificial Sequence | | | |
| <220> | | | | |
| | 3'-sequence to the polymorphic sites on the | | | |
| | non-coding strand | | | |
| | | | | |
| <400> | | 11 | | |
| tgttc | ttat a | | | |
| <210> | 68 | | | |
| <211> | | | | |
| <212> | | | | |
| | Artificial Sequence | | | |
| | | | | |
| <220> | | | | |
| <223> | 3'-sequence to the polymorphic sites on the coding | | | |
| | strand | | | |
| <400> | 68 | | | |
| | tccac a | 11 | | |
| | | | | |
| <210> | 69 | | | |
| <211> | | | | |
| <212> | DNA | | | |



| <213> | Artificial sequence | |
|---------------------------|---|----|
| <220> <223> | 3'-sequence to the polymorphic sites on the coding strand | |
| <400> aagcag | 69 gccat g | 11 |
| <210><211><212><212><213> | 11 | |
| <220> <223> | 3'-sequence to the polymorphic sites on the coding strand | |
| <400> gggaga | 70 atccc t | 11 |
| <210><211><211><212><213> | 11 | |
| <220> <223> | 3'-sequence to the polymorphic sites on the coding strand | |
| <400> aaaggt | 71 tgttt a | 11 |
| <210><211><212><212><213> | 11 | |
| <220> <223> | 3'-sequence to the polymorphic sites on the coding strand | |
| <400> tataa | 72 agaac a | 11 |
| <210><211><212><212><213> | 29 | |
| <220> <223> | Nuclelotide tail complementary to M13 at its 5'-end. | |
| <400> agtca | 73 cgacg ttgtaaaacg acggccagt | 29 |